



# ASIA MARK



**UDYAM**  
 Government of India  
 भारत सरकार  
 Ministry of Micro, Small and Medium Enterprises

**UDYAM REGISTRATION CERTIFICATE**

**UDYAM REGISTRATION NUMBER:** UDYAM-BR-24-0010813  
**NAME OF ENTERPRISE:** ASIA MARK & PAINTS  
**TYPE OF ENTERPRISE:** MSME (Based on FY 2020-21)  
**MAJOR ACTIVITY:**  
**SOCIAL CATEGORY OF ENTREPRENEUR:** OBC

S.No.	UDYAM Aankar Memorandum	Enter Name
1	BR14001301	MAA ROAD MARKING COMPANY

Plot/Door/Block No.	RARI PATAH	Name of Premises/Building
	BHAR SHARIF	MAGARH COLONY

**OFFICIAL ADDRESS OF ENTERPRISE:**

Village/Town	Block	Dist.
BHAR SHARIF	BHAR SHARIF	BHAR SHARIF

Road/Street/Lane	POSTAL City	Dist.
SADAR ROAD	INDO-PAL	BHAR SHARIF

State	District	NALANDA, Pin 803101
BHAR	BHAR	NALANDA, Pin 803101

Mobile	954609799	Email:	maaroadmarkingcompany@gmail.com
	954609799	Email:	maaroadmarkingcompany@gmail.com

**DATE OF INCORPORATION / REGISTRATION OF ENTERPRISE:** 01/05/2022  
**DATE OF COMMENCEMENT OF PRODUCTION/BUSINESS:** 01/02/2018

S.No.	NIC 2 Digit	NIC 4 Digit	NIC 5 Digit	Activity
1	42	4210	42100	Manufacturing

**NATIONAL INDUSTRY CLASSIFICATION CODE(S):**  
**DATE OF UDYAM REGISTRATION:** 06/05/2022

\*In case of graduation (upgradation) of status of an enterprise, the benefit of the Government Schemes will be availed as per the provision of Notification No. S.43.211(N) dated: 26.06.2018 issued by the MSME.

**Kawaljeet Singh Contractor**  
 UDYAM BR-24-0010813 | PAN NO. AAKP2586C  
 UDYAM BR-24-0010813 | PAN NO. AAKP2586C

**TO WHOM SO EVER IT MAY CONCERN,**  
 This is to certify that MAA ROAD MARKING / ASIA MARKS AND PAINTS, plot no. - 1581, Dost, NHAI-20, Patna Ranchi Road, Bihar 803110 has executed the road marking work (Total Km: 63.250) in year 2021-22 Project from BARBCHN TO SARAI IN Bihar State awarded by National Highway, Patna.  
 That the agency completed the road marking work & material satisfactory and can take up any urgent and critical work with full mobilization labour and materials.  
 We wish you for the bright future.  
 Thank you,  
 With Regards,

Kawaljeet Singh Contractor  
 Bahar Shari, Patna-803101  
 Bihar-803101

Head, OR, 2nd Floor, Baha Arcade, Mahil Road, Area Vihar, Patna-803001  
 Fax & Office Phone: 0944-240294, 94-982762899 | 982728000  
 www.kjscontractor.com | Email: kjscontractor@gmail.com

**RAJ KUMAR SINGH RAJA CONSTRUCTION PVT. LTD.**  
 ENGINEERS & CONTRACTORS  
 Mob.: 0812-250425, 9820008016, e-mail: rajkumar2004@gmail.com  
 GST NO. 10AACCR9592P1ZE

Regd. Office: Wajga Bati Paur, P.O. & P.S. - Paiganj, Dist. Patna (Bihar)  
 Telephone Office: 2nd Floor, K. B. Market, Ram Nagar, More, Ashiana-Digha Road, Patna-22

To whom it may concern  
 This is to certify that Asia Mark and Paints, Plot no. - 1581, Dost, NHAI-20, Patna Ranchi Road, Bihar 803110 has executed the road Marking work (Total Km: 135) in our following projects.  
 1. Construction of Long Term Output and Performance based Road Assets Maintenance work for the roads under Package (O&D/OPRMC2)/Name of Division Darbhanga.  
 2. Construction of Long Term Output and Performance based Road Assets Maintenance work for the roads under Package no. O2A/OPRMC2/Road Division Muzhian.  
 That the agency completed the road marking work & material satisfactory and can take up any urgent and critical work with full mobilization labour and materials.

Raj Kumar Singh Raja Construction Pvt. Ltd.  
 Managing Director

**QRO**  
 QUALITY RESEARCH ORGANIZATION

**Certificate of Registration**  
 This is to certify that  
**MAA ROAD MARKING COMPANY**  
 OFFICE ADD:- PAHARI BARI BEHARSHARIF, NALANDA - 803101, BIHAR, INDIA  
 has been independently assessed by QRO and is compliant with the requirement of  
**ISO 9001:2015**  
**Quality Management System**  
 For the following scope of activities:  
**MANUFACTURING & TRADING OF THERMOPLASTIC ROAD MARKING PAINTS.**

Date of Certification: 22nd October 2022  
 1<sup>st</sup> Renewal Date: 21st October 2023  
 2<sup>nd</sup> Renewal Date: 21st October 2024  
 Certificate Expiry: 21st October 2025

**Certificate Number: 305022102216Q**

Validity of this certificate is subject to annual surveillance audits to be done successfully on or before 15th day from date of the audit. In case surveillance audit is not allowed to be conducted this certificate shall be suspended / withdrawn.  
 The Validity of this certificate can be verified at www.qro.org  
 The certificate of registration remains the property of QRO Certification LLC and shall be returned immediately upon request.  
 India Office - QRO Certification LLP  
 14C, 1st Floor, Anna Building, Near Postbox Vihar, Near Metro Station, Patna - 800001, INDIA  
 Mobile: +91-9827628999, T: +91-9827628999

# Test Report



भारत सरकार Government of India  
राष्ट्रीय परीक्षण शाला (पू.क्ष.)  
National Test House (ER)

राष्ट्रीय परीक्षण शाला (पू.क्ष.), 11/1, जज्जेस कोर्ट रोड, अलीपुर, कोलकाता, पश्चिम बंगाल - 700027  
11/1, Judges' Court Road, Alipore, Kolkata, West Bengal - 700027



## PART A. PARTICULARS OF SAMPLE SUBMITTED

## COMPLETE TEST REPORT

भाग 'अ' जमा किये गये नमूने का विवरण

परीक्षण प्रमाणपत्र सं./Test Certificate No: NTH(ER)/CH(P)/22/968_1	SRF Number: NTH(ER)/CH(P)/22/968	जारी होने की तिथि/Date of issue 11 Oct, 2022	कोड सं./QR Code/Barcode : NTH220008324
a) जिसे जारी करना है/Issued To	:	MAA ROAD MARKING COMPANY	
b) पता/Address	:	BARI PAHARI, BIHARSHARIF, BARI PAHARI, NALANDA, BIHAR - 803101, BARI PAHARI, Nalanda, Bihar, India - 803101	
c) ग्राहक का संदर्भ सं एवं दिनांक/Customer's Ref. No.	:	TR/ER/22/1987 - 23 Sep, 2022	
d) नमूना मुहरबंद स्थिति/Sample Sealed Status	:	Not Applicable	
e) परीक्षण सामग्री का विवरण/Description of Test item	:	THERMOPLASTIC ROAD MARKING PAINT BRAND: ASIA MARK BATCH NUMBER : 89 DATE: 16-09-2022 SEALED 25 KG BAG	
f) नमूना का विशिष्टता (यदि हो)/Product Specification(if any)	:	MORTH 803 (2013) - Ministry of Road Transport and Highways - Specifications form Road And Bridge Works	
g) नमूना प्राप्ति की तिथि /Date of Receipt of the Test item	:	28 Sep, 2022	
h) कार्य सम्पन्न की तिथि/Date(s)of Performance of Tests	:	From: 11 Oct, 2022 To: 11 Oct, 2022	
i) Quantity	:	25.0 KGS	
j) Any other Information / Expiry Date, if any	:	As per MORTH 803.4	
k) Section Code	:	22C3AD2N	
l) Section Report No.	:	22C3AD2N_1	
m) Report Type	:	New	
n) Reference Report No.	:		
o) Remarks	:	PLEASE FIND THE TEST REPORT	

MOHAMMED AYUB SHAREEF  
OIC SAMPLE CELL  
(Authorized Signatory)  
Authorized on: 11 Oct, 2022 15:42 PM

The certificate relates only to Test/Calibration item submitted to the laboratory for Testing/Calibration. This certificate cannot be reproduced except in full without written approval of the competent Authority of NTH.

This is a Computer Generated Report.

# Test Report



भारत सरकार Government of India  
राष्ट्रीय परीक्षण शाला (पू.के.)  
National Test House (ER)

राष्ट्रीय परीक्षण शाला (पू.के.), 11/1, जज्जेस कोर्ट रोड, अलीपुर, कोलकाता, पश्चिम बंगाल - 700027  
11/1, Judges' Court Road, Alipore, Kolkata, West Bengal - 700027



Section Report No. : 22C3AD2N\_1

MORTH 803 (2013)

## PART B. SUPPLEMENTARY INFORMATION

1.	नमूना लेने की प्रक्रिया का संदर्भ, जहां लागू हो। Reference to sampling procedure, wherever applicable.	Not Applicable
2.	परीक्षण रिपोर्ट से संबंधित मापन एवं परिमाण प्रति हेतु सहस्यक प्रलेख जैसे ग्राफ, तालिका, चित्र और / अथवा फोटोग्राफ, यदि कोई हो। Supporting documents for the measurements taken and results derived like graphs, table sketches and or photographs as appropriate to test report, if any.	Not Applicable
3.	सम्बद्ध मानक / कार्य निर्देशों में निर्धारित परीक्षण पद्धति से विचलन, यदि कोई हो। Deviation from the test methods as prescribed in relevant ISS/Work instruction, if any.	Not Applicable
4.	परीक्षण सामग्री की पहचान/identification of Test item	THERMOPLASTIC ROAD MARKING PAINT BRAND: ASIA MARK BATCH NUMBER : 89 DATE: 16-09-2022 SEALED 25 KG BAG
5.	व्यावृत्त की प्रणाली की पहचान/Method(s) used for Test	On the lines of BS 3262 Part 1:1989
6.	नमूना प्रक्रिया जहां प्रासंगिक हो/Sampling Procedure where relevant	As per specification
7.	पर्यावरण की स्थिति/Environmental Conditions	As specified
8.	उपयोग किए जाने वाले प्रमुख मानक /उपकरण/Major Standards/Equipments used	-
9.	कैलिब्रेशन स्थल/Site of Calibration	-
10.	मापन का पता लगाने की क्षमता/Traceability of Measurement	-

AJAY APPARAO UKARANDE  
OIC Testing/Calibration Chemical (Paint, High Polymer, Outdoor)  
(Authorized Signatory)  
Authorized on: 11 Oct, 2022 15:40 PM

This is a Computer Generated Report.

# Test Report



सत्यमेव जयते

भारत सरकार Government of India  
राष्ट्रीय परीक्षण शाला (पू.के.)  
National Test House (ER)  
राष्ट्रीय परीक्षण शाला (पू.के.), 11/1, जज्जेस कोर्ट रोड, अलीपुर, कोलकाता, पश्चिम बंगाल - 700027  
11/1, Judges' Court Road, Alipore, Kolkata, West Bengal - 700027



Section Report No. : 22C3AD2N\_1

MORTH 803 (2013)

PART C. TEST RESULT

S.No.	Clause No Table No. Sl. No	Parameter - Method of test	Test Description	Min Limit	Max Limit	Unit	Result/ Observation
1	803.4.2	Calcium carbonate and Inert fillers	percent	0.0	42.0	Perce nt	34.5 (Percent)
2	803.4.2	Luminance (White)	percent	65.0	-	Perce nt	87.0 (Percent)
3	803.4.2	Drying Time	Minutes	0.0	15.0	Minut es	5.0 (Less than 5 minutes)
4	803.4	Colour	white/yellow	-	-	-	White

**MAITRAYEE MANDAL**  
Lab Sc. Testing/Calibration Chemical (Paint, High Polymer,  
Outdoor)  
(Authorized Signatory)

**AJAY APPARAO UKARANDE**  
OIC Testing/Calibration Chemical (Paint, High Polymer,  
Outdoor)  
(Authorized Signatory)  
Authorized on: 11 Oct, 2022 15:40 PM

This is a Computer Generated Report.

# Test Report



भारत सरकार **Government of India**  
राष्ट्रीय परीक्षण शाला (पू.शे.)  
**National Test House (ER)**  
राष्ट्रीय परीक्षण शाला (पू.शे.), 11/1, जज्जेस कोर्ट रोड, अलीपुर, कोलकाता, पश्चिम बंगाल - 700027  
**11/1, Judges' Court Road, Alipore, Kolkata, West Bengal - 700027**



Section Report No. : 22C3AD2N\_1

MORTH 803 (2013)

## PART D. REMARKS

In respect of tests carried out the sample meets the requirements of CI 803.4.1 of MORTH for Thermoplastic Road Marking Material.

## PART D. Notes

Nil

**AJAY APPARAO UKARANDE**  
**OIC Testing/Calibration Chemical (Paint, High Polymer, Outdoor)**  
(Authorized Signatory)  
Authorized on: 11 Oct, 2022 15:40 PM

This is a Computer Generated Report.



## **ADVANTAGE ASIA MARK**


1. Conforms to clause 803.4 of "Specifications for Road and Bridge Works" issued by the Ministry of Road Transport & Highways (MoRTH).
2. Suitable for manual/automatic machine application.
3. Superior whiteness and retro-reflectivity.
4. Excellent adhesion on asphalt roads and wear resistance.
5. Offers superior weathering resistance and colour stability.

The usage of hot applied thermoplastic road markings is primarily due to the twin benefits of night visibility due to retro reflectivity and longer life in comparison to conventional road marking points.

Both, ASIA MARK are unique blends of aliphatic hydrocarbon resin, plasticisers, pigment, fillers and glass beads. The non-yellowing aliphatic resin system in combination with the plasticisers provides the toughness, flexibility and bond strength while holding all the components together. The pigments provide the colour and opacity; fillers add bulk and strength and glass beads provide the night time retro reflectivity.

To improve adhesion of Hot Melt Thermoplastic Point on concrete and worn out asphalt roads, a specially designed solvent based primer "ASIA MARK GRIP" is recommended.

ASIA MARK has been widely used in the famed Golden Quadrilateral / NSEW corridor projects of NHA and on various state and national highway projects across the country.







Manufactured By. :

**MAA ROAD MARKING CO.**

Plot No. : 1581, Dosut, NHAI- 20, Patna - Ranchi Road, Bihar - 803110

Mobile No. : 9546648989, 7903037696

Email : [maaroadmarkingcompany@gmail.com](mailto:maaroadmarkingcompany@gmail.com)

Website : [www.asiamarkandpaint.com](http://www.asiamarkandpaint.com)